

Complex Treatment of Chronic Adenoiditis

Ikramova F. S., Xasanova L. M.
Bukhara State Medical Institute

Abstract: In the period from 2021 to 2022, we examined 70 children who applied to the Bukhara Regional Children's Multidisciplinary Medical Center ENT department. The age distribution was as follows: children of the first year (7 months to 11 months) – 2 (3%), early age (from 1 to 2 years) – 16 (22.8%), preschool (3 1 – 6 years) - 33 (47.2%) and school age (7 1 – 11 years old) – 19 (27.3%) children. Patients of preschool age (from 3 to 6 years, 47.2%) prevailed among the patients.

The use of photodynamic therapy in the complex therapy of chronic adenoiditis eliminates tubar dysfunction and snoring 5 times faster and normalizes nasal breathing 3 times faster than with traditional treatment, improving the indicators of anterior active rhinomanometry in total volume flow 4 times, and in total resistance 20 times, which indicates adequate inclusion of hypertrophied pharyngeal tonsil to the zone of therapeutic effect of the new method.

Key points: chronic adenoiditis, pharyngeal tonsil, viruses, bacteria.

Relevance. Treatment of chronic adenoiditis (CHA) is an urgent problem of childhood rhinology. Medical and social significance is due to both the increase of up to 60% in the last decade of morbidity and the associated economic costs, and the role of the pharyngeal tonsil (PT) in the formation of mucosal immunity, which protects not only the nasopharynx, but also the nasal mucosa, rhinotubar zone and paranasal sinuses [1,3,6,13].

Chronic pathology of PT with its hypertrophy and rhinosinusitis, tubotites, chronic tonsillitis close the "vicious circle", being one of the factors in the formation of a contingent of frequently ill children [3,4,6,14]. This is also facilitated by slowing down the age-related reduction of adenoid vegetations [5,7,8,9]. Despite the apparent simplicity of diagnosis and treatment, many issues related to the etiology and pathogenesis of CHA remain debatable.

Considerable attention is paid to the issue of conservative treatment of adenoids [1, 12,18,22], however, the imperfection of existing methods does not solve the problem of chronic nasopharyngeal infection in childhood, since they do not completely eliminate pathogenic microflora, while adenotomy is also a way to remove biofilms to reduce bacterial contamination [10, 11, 16,20,23].

A significant contribution to the scientific and technical solution of the problem of surgical rehabilitation of ENT organs was made by the work of domestic scientists [12,15,17,21]. The parameters of photodynamic therapy providing a high sanitizing effect and harmlessness to the macroorganism were determined [2,16], the features of reparative processes in adult patients with chronic purulent rhinosinusitis and tonsillitis were studied [3,8,19].

The aim of the study. To evaluate the functional effectiveness of complex therapy of chronic adenoiditis in children using phototherapy.

Materials and methods. In the period from 2021 to 2022, we examined 70 children who applied to the Bukhara Regional Children's Multidisciplinary Medical Center ENT department. The age distribution was as follows: children of the first year (7 months to 11 months) – 2 (3%), early age (from 1 to 2 years) – 16 (22.8%), preschool (3 1 – 6 years) - 33 (47.2%) and school age (7 1 – 11 years old) – 19 (27.3%) children. Patients of preschool age (from 3 to 6 years, 47.2%) prevailed among the patients.

The first batch included 30 sick children: a traditional conservative treatment with a diagnosis of chronic adenoiditis and photodynamic therapy. The second group included 40 sick children who received a traditional conservative treatment with a diagnosis of: chronic adenoiditis.

Results and their discussion. Pathological changes in the GM, nasal cavity, and ONP were accompanied to varying degrees by pronounced functional disorders, primarily respiratory. In most patients, nasal obstruction was moderate, but about a third of children under 5 years of age had indicators of the total volume flow of SOP below 90 cm³/s. The severity of the changes also depended on age; at the beginning of treatment, a group of 6-7-year-olds showed more pronounced disorders.

The total resistance (SS) did not have large age differences, which, apparently, characterized precisely the degree of increase in GM, which is the main obstacle and causes nasal obstruction to a greater extent than swelling of the nasal mucosa. With comparable PARM indicators at the beginning of treatment, in group I, SOP normalized quickly, almost after the first procedure, which contributed to the adherence of patients and their parents to the phototherapy type of treatment.

In general, in group I, by the 3rd visit, the SOP indicator reached the age norm and improved 1.6 times in children under 5 years old, and 2 times in children over 5 years old, showing significantly 3-4 times better results than in group II patients ($p < 0.05$), in of which the increase was only 9-23%, depending on age. At the same time, differences in SOP before and after treatment in children under 5 years of age in group II were not significant ($p = 0.6$). In terms of reducing the total resistance to air flow, the children of group I also showed 20 times better results, having a decrease in CC by 30-45% depending on age, while in group II this indicator decreased only by 4-6% and had no significant differences before and after treatment ($p < 0.05$).

Conclusion. The use of photodynamic therapy in the complex therapy of chronic adenoiditis eliminates tubar dysfunction and snoring 5 times faster and normalizes nasal breathing 3 times faster than with traditional treatment, improving the indicators of anterior active rhinomanometry in total volume flow 4 times, and in total resistance 20 times, which indicates adequate inclusion of hypertrophied pharyngeal tonsil to the zone of therapeutic effect of the new method.

References

1. Firangiz Suleymanovna Ikramova (2022). IMPORTANCE OF IMMUNOLOGICAL PARAMETERS IN THE CLINICAL COURSE OF PURULENT OTITIS MEDIA. *Scientific progress*, 3 (1), 151-156.
2. U. I. Nurov, F. S. Ikramova, & Sh. A. Alimova (2021). FUNCTIONAL STATUS OF IMMUNE STATUS IN INFLAMMATORY DISEASES OF THE PARANASAL SINUSES IN TWIN CHILDREN. *Academic research in educational sciences*, 2 (5), 238-246. doi: 10.24411/2181-1385-2021-00879
3. F. S. Ikramova (2022). ETIOLOGICAL FACTORS OF RECURRENCE OF CHRONIC PURULENT OTITIS MEDIA IN CHILDREN. *Scientific progress*, 3 (1), 722-727.
4. Nurov U.I., & Ikramova, F.S. (2021). Features Of Non-Specific Protection Factors And Cytokine Status In Inflammatory Diseases Of The Paranasal Sinuses In Twin Children. *The American Journal of Medical Sciences and Pharmaceutical Research*, 3(02), 118–126. <https://doi.org/10.37547/TAJMSPR/Volume03Issue02-18>

5. Ikramova F.S., & Toyirov M.M. (2022). THE PREVALENCE OF CHRONIC RHINOSINUSITIS AMONG ENT PATHOLOGIES IN PRESCHOOL AND SCHOOL-AGE CHILDREN AT THE HOSPITAL STAGE OF MEDICAL CARE. *Conferencea*, 463–466.
6. U. I. Nurov, G. U. Nurova, & D. R. Rashidov (2022). THE INCIDENCE OF RHINOSINUSITIS AMONG ENT DISEASES IN SCHOOL-AGE CHILDREN. *Scientific progress*, 3 (4), 28-31.
7. F. S., I., & Sh. A.A. (2023). Clinicofunctional Efficacy of Complex Treatment of Chronic Adenoiditis Using Phototherapy. *European Journal of Medical Genetics and Clinical Biology*, 1(1), 53–56.
8. Nurov U. I., Ikramova F. S., & Alimova Sh. A. (2022). Immunological Aspects of Chronic and Recurrent Acute Rhinosinusitis in Children. *Central Asian Journal of Medical and Natural Science*, 3(3), 31-35. <https://doi.org/10.17605/OSF.IO/YVFE7>
9. F.S., I., & Sh.A., A. (2023). Complex Treatment of Chronic Adenoiditis Using Phototherapy. *European Journal of Medical Genetics and Clinical Biology*, 1(1), 36–38.
10. Nurov, U. I., Xolov, H. N., & Umarov, U. U. (2022). Immunological Diagnosis of Severity Rhinosinusitis. *Web of Scholars: Multidimensional Research Journal*, 1(5), 165-167.
11. F. S., I. . (2022). The Significance of Diseases of the Gastrointestinal Tract in the Clinical Course of Allergic Rhinitis. *Miasto Przyszłości*, 28, 97–98.
12. Nurov, U. I., & Ikramova, F. S. (2023). Association of Allergic Rhinitis with Liver Diseases. *Scholastic: Journal of Natural and Medical Education*, 2(1), 131-136.
13. F. S. Ikramova, & M. M. Toyirov (2022). THE PREVALENCE OF CHRONIC SINUSITIS IN THE PEDIATRIC POPULATION. *Scientific progress*, 3 (4), 38-41.
14. Nurov, U. I. (2023). Clinical Features of Otitis Media in Patients with Hiv Infection. *Scholastic: Journal of Natural and Medical Education*, 2(1), 123-130.
15. Shahnoza Azamatovna Alimova The incidence and clinical features of otitis media in patients with hiv infection // *Scientific progress*. 2021. №5.
16. Ulugbek Nuridinovich Vokhidov, Khusniddin Noriddinovich Nuriddinov Analysis of the frequency of distribution and treatment methods for polypous rhinosinusitis *Journal of Biomedicine and Practice* Volume 4 Issue 5. 2020
17. Алимова Шахноза Азаматовна ЭТИОПАТОГЕНЕТИЧЕСКИЕ ОСОБЕННОСТИ СРЕДНЕГО ОТИТА У БОЛЬНЫХ ВИЧ-ИНФЕКЦИЕЙ // *Научный прогресс*. 2021. №5.
18. Nurova, G. U., and U. I. Nurov. "The current state of study of vasomotor rhinitis modern diagnostic and therapeutic methods" *American journal of medicine and medical sciences-USA* 10.4 (2020).
19. Шахноза Азаматовна Алимова (2021). ЧАСТОТА И КЛИНИЧЕСКИЕ ОСОБЕННОСТИ СРЕДНЕГО ОТИТА У ПАЦИЕНТОВ С ВИЧ-ИНФЕКЦИЕЙ. *Научный прогресс*, 2 (5), 74-81.
20. Shaxnoza Azamatovna Alimova (2022). ЭТИОПАТОГЕНЕТИЧЕСКАЯ ХАРАКТЕРИСТИКА СРЕДНЕГО ОТИТА У ВИЧ ИНФИЦИРОВАННЫХ ПАЦИЕНТОВ. *Scientific progress*, 3 (1), 198-207.
21. X. Н. Нуриддинов, Ш. А. Алимова (2022). АНАЛИЗ РЕЗУЛЬТАТОВ ЭНДОСКОПИЧЕСКОЙ ДИАГНОСТИКИ И ЛЕЧЕНИЯ ХРОНИЧЕСКОГО ПОЛИПОЗА, РИНОСИНУСИТА. *Научный прогресс*, 3 (5), 155-161.
22. Ш. А. Алимова (2022). МОРФОМЕТРИЧЕСКИЕ ИЗМЕНЕНИЯ В РАЗВИТИИ МИКРОСОСУДОВ АНАЛЬНОГО КАНАЛА И СПИНКТЕРНОГО АППАРАТА ПРЯМОЙ

КИШКИ У КРЫС НА РАЗНЫХ ЭТАПАХ ПОСТНАТАЛЬНОГО ОНТЕНОГЕНЕЗА. Scientific progress, 3 (4), 52-56.

23. Нафиса Ботировна Саидмуродова, Шахноза Азамат Қизи Алимова, & Фирангиз Сулеймановна Икрамова (2021). ТУҒМА ТАНГЛАЙ КЕМТИКЛИГИ БЎЛГАН БОЛАЛАРДА ПАРАНАЗАЛ СИНУСЛАРНИНГ ФУНКЦИОНАЛ ҲОЛАТИ. Scientific progress, 2 (4), 404-411.