

## Mechanisms of Disturbed Rhythm, Etiology of Arrhythmias

**Turayev Hikmatillo Negmatovich**

Samarkand State Medical University

Department of Clinical Pharmacology

**Abstract:** Arrhythmias occur when the heart's regular rhythm changes, such as an abnormally fast or excessively slow heart rate. Cardiac arrhythmias are also detected when the heart beats irregularly, skips beats, or when separate parts - the atria and ventricles - contract out of sync.

A normal heartbeat is controlled by electrical signals sent from a specific segment of heart muscle tissue called the sinus node. This natural pacemaker is located at the top of the right atrium. The heart is divided into four chambers: two atria above and two ventricles below. The atria's job is to fill the ventricles with blood, which then do the hard work of pumping it out to the rest of the body.

During a normal heartbeat, an electrical impulse passes through muscle tissue, activating the ventricles a fraction of a second after the atria. In the case of arrhythmia, there are problems with this signal, the pulse deviates from the norm.

**Key words:** Arrhythmia types, arrhythmia symptoms in women, arrhythmia symptoms in men

### Types of arrhythmia

There are many different types and forms of arrhythmias, but those affecting the ventricles are usually more serious than atrial problems. Arrhythmias can be caused by a slow heartbeat (bradycardia) or a fast heartbeat (tachycardia). A low heart rate can occur due to sick sinus syndrome. This happens when the heart's natural pacemaker stops working, causing the electrical signals that make the heart contract to be sent more slowly. This condition is more common in older people and can be worsened by certain drugs that slow the heart rate (eg beta blockers).

Heart block occurs when the electrical signal sent from the heart's upper chambers (atria) to the heart's lower chambers (ventricles) is interrupted. Without this signal being transmitted, the heart cannot contract effectively to pump blood to the body.

An increased heart rate can be a result of atrial fibrillation (AF). Arrhythmia clinic involves random signals that are sent sequentially. They cause fibrillation, which is an uncoordinated shaking of the muscular wall of the atria. Often described as "heart cramps". The atrium does not pump blood efficiently, but the ventricles receive enough blood for the heart to function. However, AFib is potentially dangerous because blood can pool in the atrium and cause a clot to form. If one of these clots travels to the brain, it causes a stroke. AF is the most common form of dangerous arrhythmia, affecting almost 1% of the population. It is more common in older people, affecting about 5 percent of the population over age 69. One study found that one in four people over the age of 40 will develop AF.

Ventricular fibrillation (VF) is the most dangerous form of arrhythmia. The ventricles beat, but do not pump blood. If the oscillation does not stop on its own or as a result of the defibrillator output, this complication of the arrhythmia can be fatal.

### Causes of cardiac arrhythmia in men or women

There are two general ways in which arrhythmias develop and can be identified in a given patient. There may be problems with the initiation of the electrical signal: either the sinus node fires abnormally, or there is a competing impulse elsewhere in the heart.

The second option is problems with the transmission of electrical impulses: it is difficult to connect from the atria to the ventricles (this is often called heart block).

Arrhythmias can occur especially in people with heart disease, because heart disease, damage can prevent signals from the atria from reaching the ventricles, or parts of the heart can't fire normally.

High blood pressure and an overactive thyroid gland also increase the likelihood of arrhythmia. Alcohol can also cause atrial and ventricular arrhythmias. Certain medications, such as decongestants and many prescription medications, make the heart more prone to arrhythmias and should be used with caution in people with heart disease.

There are also hereditary and congenital (present from birth) types of arrhythmia, which often lead to a weak or delayed signal to the ventricles. The ventricles can produce their own signals, but it is often less than 40 beats per minute instead of the 60-90 beats per minute normally found in the sinus node.

### Symptoms

If the heart beats faster than usual, it is called tachycardia.

If the heartbeat is slower than usual, it is called bradycardia. It can cause fatigue, dizziness, lightheadedness and fainting, as it usually leads to low blood pressure.

Signs and symptoms of arrhythmia include:

chest discomfort

cardiopalmus,

dizziness,

sometimes fainting.

Almost everyone's heart flutters from time to time, and it usually means nothing. Most often, symptoms of cardiac arrhythmia occur in men, and treatment is not always necessary. But if a person has chest pains, feels weak, or notices that the pulse is irregular, too fast or too slow for a long time, it's time to see a doctor.

Symptoms of this disease may not appear. Arrhythmia can be detected by a specialist during a routine clinical examination: before its symptoms appear. But mainly, heart rhythm disorders are characterized by the following symptoms:

chest pain;

increased heart rate;

accelerated heartbeat;

slow heartbeat;

shortness of breath;

loss of consciousness or fainting.

Some types of arrhythmia are initially asymptomatic or have few symptoms. Another type of arrhythmia, on the contrary, is manifested by clear symptoms, but does not lead to serious

consequences. Usually, the nature and severity of the underlying heart disease causing the arrhythmia is more important than the arrhythmia itself.

Due to the fact that arrhythmia has a negative effect on the activity of the heart and has an additional negative effect (disrupting the work of the valve apparatus, weakening the heart muscle, causing an increase in the volume of the heart cavity), the risk of arrhythmia is increased to can be reduced by maintaining a healthy lifestyle that includes a healthy diet and physical activity.

### Diagnostics

The stethoscope is still a valuable tool for detecting arrhythmias, but there are modern tests that can identify the problem and symptoms of heart arrhythmia in women or men. An electrocardiogram (ECG) shows a graph of the heart's electrical activity using small electrodes attached to the chest. The curve in these graphs indicates the type of arrhythmia. Since the hospital may not have an arrhythmia, there is a portable EKG that the patient wears at home. Some are turned on continuously for a certain period of time (called a Holter monitor), while others turn on when a person detects an arrhythmia (called an event monitor or loop recorder).

Some arrhythmias may be associated with exercise, so patients may be asked to walk on a treadmill or cycle while connected to an EKG machine.

Electrophysiological study (EPS) is a more complex test. Thin tubes are inserted into a blood vessel in the leg and directed towards the heart. They hold electrodes that locate muscle tissue that may be causing abnormal electrical activity.

### List of used literature:

1. Kurbonalievich, A. S., Mardonovich, N. R., Muxammadievich, X. M., Anvarovich, O. R., Negmatovich, T. H., & Usmonovna, B. M. (2021). Experience of the Combination of Tiflox and Immunomax in the Treatment of Trichomoniasis Combined with a Bacterial Process. *Annals of the Romanian Society for Cell Biology*, 2376-2380.
2. Зиядуллаев, Ш. Х., Хайдаров, М. М., & Нуралиева, Р. М. (2014). Иммуный статус здорового населения подростков и юношей. *Академический журнал Западной Сибири*, 10(3), 80-80.
3. Зиядуллаев, Ш. Х., Турдибеков, Х. И., Хайдаров, М. М., Исмоилов, Ж. А., & Пулатов, У. С. (2014). Генетические маркеры гиперреактивности бронхов при бронхиальной астме. *Академический журнал Западной Сибири*, 10(3), 19-19.
4. Мурадова, Р. Р., Хайдаров, М. М., & Бегнаева, М. У. (2021). Современные клинико-фармакологические аспекты применения нефротоксичных антибиотиков. *Достижения науки и образования*, (3 (75)), 98-100.
5. Мурадова, Р. Р., & Хайдаров, М. М. (2021). КЛИНИКО-ФАРМАКОЛОГИЧЕСКИЕ АСПЕКТЫ ПРИМЕНЕНИЯ ГОРМОНАЛЬНЫХ ПРЕПАРАТОВ В ОФТАЛЬМОЛОГИИ. *Достижения науки и образования*, (3 (75)), 100-102.
6. Мурадова, Р. Р., Хайдаров, М. М., & Омонов, Э. М. (2021). ОПТИМИЗАЦИЯ ТЕРАПИИ БОЛЬНЫХ С ОТКРЫТОУГОЛЬНОЙ ГЛАУКОМОЙ С УЧЕТОМ ПАРАМЕТРОВ СОСТОЯНИЯ МИКРОЦИРКУЛЯТОРНОГО РУСЛА ЦЕНТРАЛЬНОЙ ЗОНЫ СЕТЧАТКИ. *Вопросы науки и образования*, (10 (135)), 66-69.
7. Siddikov, O., Daminova, L., Abdurakhmonov, I., Nuralieva, R., & Khaydarov, M. OPTIMIZATION OF THE USE OF ANTIBACTERIAL DRUGS DURING THE EXACERBATION OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE. *Turkish Journal of Physiotherapy and Rehabilitation*, 32, 2.

8. Азимов, Ш. Т., Шакиров, Б. М., Карабаев, Ж. Ш., Хайдаров, М. М., & Кодиров, В. М. (2008). Ранняя некрэктомия в комплексном лечении детей с глубокими ожогами. Сб. науч. тр. II Съезда комбустиологов России:-М, 159-160.
9. Хайдаров, М. М., Мурадова, Р. Р., & Худойбердиева, Г. С. (2020). Оптимизация премедикации при хирургических вмешательствах в гинекологии. Достижения науки и образования, (5 (59)), 98-102.
10. Muxammadievich, H. M., Uktamovna, M. D., Abdullaevich, S. O., Rustamovna, M. R., & Usmanovna, B. M. (2022). BURN SHOCK IN PEDIATRIC AFTER THERMAL INJURY AND MULTIPLE ORGAN FAILURE SYNDROMES. World Bulletin of Public Health, 8, 140-142.
11. Kurbonalievich, A. S., Fayozjonovich, A. Z., Anvarovich, O. R., Abdullaevich, S. O., & Mukhammadievich, H. M. (2021). Careful Attention To The History Of Chronic Urticaria Is One Of The Important Factors Of Productive Therapy. The American Journal of Medical Sciences and Pharmaceutical Research, 3(02), 55-58.
12. Хакимов, Э. А., Тагаев, К. Р., & Хайдаров, М. М. (2019). Осложнения со стороны желудочно-кишечного тракта у детей с ожоговой травмой. Детская хирургия, 23(1S4), 64-64.
13. Хайдаров, М. М., & Мурадова, Р. Р. (2020). Гепатотоксичность лекарственных средств как одна из проблем современной медицины. Наука через призму времени, (11), 46-49.
14. Мурадова, Р. Р., Хайдаров, М. М., & Тураев, Х. Н. (2022). NEFROTOKSIKLIK-ZAMONAVIY ANTIBIOTIKOTERAPIYANING MUAMMOSI SIFATIDA (ADABIYOTLAR TANLILI). ЖУРНАЛ РЕПРОДУКТИВНОГО ЗДОРОВЬЯ И УРО-НЕФРОЛОГИЧЕСКИХ ИССЛЕДОВАНИЙ, 3(2).
15. Хайдарова, М. М. (2016). Особенности изменения показателей клеточного иммунитета у детей при бронхолегочной патологии, протекающей с бронхиальной обструкцией. Медицинские новости, (7 (262)), 58-60.
16. Азимбегова, С. Н., Нуралиева, Р. М., Абдурахмонов, И. Р., Хайдаров, М. М., & Тохиров, С. Т. (2022). МОДИФИКАЦИЯ ЛЕЧЕНИЯ САХАРНОГО ДИАБЕТА 1 ТИПА У ДЕТЕЙ И ПРОФИЛАКТИКА ДИАБЕТИЧЕСКОЙ РЕТИНОПАТИИ. In Биотехнология и биомедицинская инженерия (pp. 202-206).
17. Ашурова, Н., Шакиров, Б. М., Мурадова, Р. Р., Хакимов, Э. А., Хайдаров, М. М., Некбаев, Х. С., & Тожиев, З. Ю. (2022). Особенности термоингаляционной травмы у детей. In Скорая медицинская помощь-2022 (pp. 15-16).
18. Ашурова, Н., Шакиров, Б. М., & Хайдаров, М. М. (2021). ОСОБЕННОСТИ ПРОТЕОЛИЗА В РАЗВИТИИ ОСТРОЙ ОЖГОВОЙ ПНЕВМОНИИ У ДЕТЕЙ.
19. Мурадова, Р. Р., & Хайдаров, М. М. (2020). ФОТОТОКСИЧЕСКИЕ И ФОТОАЛЛЕРГИЧЕСКИЕ РЕАКЦИИ ПРИ ИСПОЛЬЗОВАНИИ СОВРЕМЕННЫХ ЛЕКАРСТВЕННЫХ СРЕДСТВ И НЕКОТОРЫХ РАСТЕНИЙ. Вопросы науки и образования, (37 (121)), 41-44.
20. Хакимов, Э. А., Тагаев, К. Р., & Хайдаров, М. М. (2019). ГЕМАТОЛОГИЧЕСКИЕ ПОКАЗАТЕЛИ КРОВИ У ДЕТЕЙ С ОЖГОВОЙ ТРАВМОЙ. Детская хирургия, 23(1S4), 63-63.
21. Rustamovich, A. I., Negmatovich, T. K., & Fazliddinovich, S. D. (2022). БОЛАЛИКДАН БОШ МИЯ ФАЛАЖИ ФОНИДА РИНОСИНУСИТИ БОР БЕМОРЛАРДА БУРУН БЎШЛИҒИ МУКОЦИЛИАР ТРАНСПОРТИ НАЗОРАТИ ТЎҒРИСИДАГИ

ЗАМОНАВИЙ ҚАРАШЛАР (адабиётлар шарҳи). JOURNAL OF BIOMEDICINE AND PRACTICE, 7(2).

22. Абдурахмонов, И. Р., & Шамсиев, Д. Ф. (2021). Эффективность применения местной антибиотикотерапии в лечении параназального синусита у детей с церебральным параличом. In НАУКА И ОБРАЗОВАНИЕ: СОХРАНЯЯ ПРОШЛОЕ, СОЗДАЁМ БУДУЩЕЕ (pp. 336-338).
23. Абдурахмонов, И. Р., & Шамсиев, Д. Ф. (2021). Болалиқдан бош мия фалажи билан болалардаги ўткир ва сурункали параназал синуситларни даволашда мукорегуляр дори воситасини самарадорлигини ўрганиш. Т [a\_XW [i [S US S\_S^[ùe YfcS^, 58.
24. Siddikov, O., Daminova, L., Abdurakhmonov, I., Nuralieva, R., & Khaydarov, M. OPTIMIZATION OF THE USE OF ANTIBACTERIAL DRUGS DURING THE EXACERBATION OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE. Turkish Journal of Physiotherapy and Rehabilitation, 32, 2.
25. Тураев, Х. Н. (2021). Абдурахмонов Илхом Рустамович Влияние будесонида на качество жизни пациентов с бронхиальным обструктивным синдромом. Вопросы науки и образования, 7, 132.
26. Farrukh S. ORGANIZATION OF DIGITALIZED MEDICINE AND HEALTH ACADEMY AND ITS SIGNIFICANCE IN MEDICINE //Science and innovation. – 2023. – Т. 2. – №. Special Issue 8. – С. 493-499.
27. Абдурахманов, И., Шамсиев, Д., & Олимжонова, Ф. (2021). Изучение эффективности мукорегулярных препаратов в лечении острого и хронического параназального синусита при детском церебральном параличе. Журнал стоматологии и краниофациальных исследований, 2(2), 18-21.
28. Абдурахмонов, И. Р., & Шамсиев, Д. Ф. (2023). БОШ МИЯ ФАЛАЖИ ФОНИДАГИ ПАРАНАЗАЛ СИНУСИТЛАРНИ ДАВОЛАШДА ЎЗИГА ХОС ЁНДАШИШ. MedUnion, 2(1), 14-26.
29. Орипов, Р. А., Абдурахмонов, И. Р., Ахмедов, Ш. К., & Тураев, Х. Н. (2021). ОСОБЕННОСТИ ПРИМЕНЕНИЕ АНТИОКСИДАНТНЫХ ПРЕПАРАТОВ В ЛЕЧЕНИИ НЕЙРОДЕРМИТА.
30. Ахмедов, Ш. К., Тураев, Х. Н., Абдурахмонов, И. Р., & Орипов, Р. А. (2021). НЕКОТОРЫЕ ОСОБЕННОСТИ ТАКТИКИ ПРОДУКТИВНОГО ЛЕЧЕНИЯ ХРОНИЧЕСКОЙ КРАПИВНИЦЫ.
31. Абдурахмонов, И. Р. (2021). Исследование мукоцилиарной транспортной функции слизистой оболочки полости носа у больных с параназальным синуситом на фоне детского церебрального паралича. In Актуальные аспекты медицинской деятельности (pp. 256-259).
32. Абдурахмонов, И. Р., & Тураев, Х. Н. (2022). ОПЫТ ПРИМЕНЕНИЯ СИНУПРЕТА С АНТИБАКТЕРИАЛЬНЫМИ ПРЕПАРАТАМИ В КОМПЛЕКСНОЙ ТЕРАПИИ РИНОСИНУСИТОВ У БОЛЬНЫХ ДЕТСКИМ ЦЕРЕБРАЛЬНЫМ ПАРАЛИЧОМ. Достижения науки и образования, (2 (82)), 88-92.
33. Abdurakhmanov, I., & Shernazarov, F. (2023). SPECIFIC ASPECTS OF TREATMENT OF CHRONIC RHINOSINUSITIS IN CHILDREN. Science and innovation, 2(D10), 164-168.